



# PRODUCT LIST

MARCH 2001

## bi-alfa cobalt

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |     |               | FEET              | METERS | WIDTH                    | THICKNESS |
| CBLT-0606-06H     | 1/4                 | .025      | 6   | H             | 98                | 30     | 6                        | 0.65      |
| CBLT-0609-06H     | 1/4                 | .035      | 6   | H             | 98                | 30     | 6                        | 0.90      |
| CBLT-0609-08N     | 1/4                 | .035      | 10  | N             | 98                | 30     | 6                        | 0.90      |
| CBLT-0609-09N     | 1/4                 | .035      | 14  | N             | 98                | 30     | 6                        | 0.90      |
| CBLT-1006-06H     | 3/8                 | .025      | 6   | H             | 98                | 30     | 10                       | 0.65      |
| CBLT-1009-06H     | 3/8                 | .035      | 6   | H             | 98                | 30     | 10                       | 0.90      |
| CBLT-1009-07N     | 3/8                 | .035      | 8   | N             | 98                | 30     | 10                       | 0.90      |
| CBLT-1009-08N     | 3/8                 | .035      | 10  | N             | 98                | 30     | 10                       | 0.90      |
| CBLT-1009-09N     | 3/8                 | .035      | 14  | N             | 98                | 30     | 10                       | 0.90      |
| CBLT-1306-06H     | 1/2                 | .025      | 6   | H             | 98                | 30     | 13                       | 0.65      |
| CBLT-1306-08N     | 1/2                 | .025      | 10  | N             | 98                | 30     | 13                       | 0.65      |
| CBLT-1306-09N     | 1/2                 | .025      | 14  | N             | 98                | 30     | 13                       | 0.65      |
| CBLT-1309-04H     | 1/2                 | .035      | 3   | H             | 98                | 30     | 13                       | 0.90      |
| CBLT-1309-05H     | 1/2                 | .035      | 4   | H             | 98                | 30     | 13                       | 0.90      |
| CBLT-1309-06H     | 1/2                 | .035      | 6   | H             | 98                | 30     | 13                       | 0.90      |
| CBLT-1309-07N     | 1/2                 | .035      | 8   | N             | 98                | 30     | 13                       | 0.90      |
| CBLT-1309-08N     | 1/2                 | .035      | 10  | N             | 98                | 30     | 13                       | 0.90      |
| CBLT-1309-09N     | 1/2                 | .035      | 14  | N             | 98                | 30     | 13                       | 0.90      |
| CBLT-2009-04H     | 3/4                 | .035      | 3   | H             | 246               | 75     | 20                       | 0.90      |
| CBLT-2009-05H     | 3/4                 | .035      | 4   | H             | 246               | 75     | 20                       | 0.90      |
| CBLT-2009-09N     | 3/4                 | .035      | 14  | N             | 246               | 75     | 20                       | 0.90      |
| CBLT-2709-03H     | 1                   | .035      | 2   | H             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-04N     | 1                   | .035      | 3   | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-04H     | 1                   | .035      | 3   | H             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-05N     | 1                   | .035      | 4   | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-05H     | 1                   | .035      | 4   | H             | 246               | 75     | 27                       | 0.90      |



**PRODUCT LIST**

MARCH 2001

**bi-alfa cobalt**

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI  | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|------|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |      |               | FEET              | METERS | WIDTH                    | THICKNESS |
| CBLT-2709-06N     | 1                   | .035      | 6    | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-06H     | 1                   | .035      | 6    | H             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-07N     | 1                   | .035      | 8    | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-08N     | 1                   | .035      | 10   | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-05N     | 1                   | .035      | 14   | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-3411-02H     | 1 1/4               | .042      | 1.25 | H             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-03H     | 1 1/4               | .042      | 2    | H             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-04N     | 1 1/4               | .042      | 3    | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-04H     | 1 1/4               | .042      | 3    | H             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-05N     | 1 1/4               | .042      | 4    | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-05H     | 1 1/4               | .042      | 4    | H             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-06N     | 1 1/4               | .042      | 6    | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-07N     | 1 1/4               | .042      | 8    | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-08N     | 1 1/4               | .042      | 10   | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-4113-02H     | 1 1/2               | .050      | 1.25 | H             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-03H     | 1 1/2               | .050      | 2    | H             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-04H     | 1 1/2               | .050      | 3    | H             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-05H     | 1 1/2               | .050      | 4    | H             | 246               | 75     | 41                       | 1.30      |
| CBLT-5413-02H     | 2                   | .050      | 1.25 | H             | 180               | 55     | 54                       | 1.30      |
| CBLT-5416-02H     | 2                   | .063      | 1.25 | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-5416-03H     | 2                   | .063      | 2    | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-5416-04H     | 2                   | .063      | 3    | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-6716-01H     | 2 5/8               | .063      | 0.75 | H             | 246               | 75     | 67                       | 1.60      |
| CBLT-6716-02H     | 2 5/8               | .063      | 1.25 | H             | 246               | 75     | 67                       | 1.60      |
| CBLT-6716-03H     | 2 5/8               | .063      | 2    | H             | 246               | 75     | 67                       | 1.60      |
| CBLT-8016-01H     | 3                   | .063      | 0.75 | H             | 246               | 75     | 80                       | 1.60      |



# PRODUCT LIST

MARCH 2001

## bi-alfa cobalt

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI   | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-------|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |       |               | FEET              | METERS | WIDTH                    | THICKNESS |
| CBLT-8016-02H     | 3                   | .063      | 1.25  | H             | 246               | 75     | 80                       | 1.60      |
| CBLT-0606-24N     | 1/4                 | .025      | 10/14 | N             | 98                | 30     | 06                       | 0.65      |
| CBLT-0609-24N     | 1/4                 | .035      | 10/14 | N             | 98                | 30     | 06                       | 0.90      |
| CBLT-1006-24N     | 3/8                 | .025      | 10/14 | N             | 98                | 30     | 10                       | 0.65      |
| CBLT-1009-24N     | 3/8                 | .035      | 10/14 | N             | 98                | 30     | 10                       | 0.90      |
| CBLT-1306-22N     | 1/2                 | .025      | 6/10  | N             | 98                | 30     | 13                       | 0.65      |
| CBLT-1306-23N     | 1/2                 | .025      | 8/12  | N             | 98                | 30     | 13                       | 0.65      |
| CBLT-1306-24N     | 1/2                 | .025      | 10/14 | N             | 98                | 30     | 13                       | 0.65      |
| CBLT-1309-24N     | 1/2                 | .035      | 10/14 | N             | 98                | 30     | 13                       | 0.90      |
| CBLT-2009-19H     | 3/4                 | .035      | 4/6   | H             | 246               | 75     | 20                       | 0.90      |
| CBLT-2009-21N     | 3/4                 | .035      | 5/8   | N             | 246               | 75     | 20                       | 0.90      |
| CBLT-2009-22N     | 3/4                 | .035      | 6/10  | N             | 246               | 75     | 20                       | 0.90      |
| CBLT-2009-23N     | 3/4                 | .035      | 8/12  | N             | 246               | 75     | 20                       | 0.90      |
| CBLT-2009-24N     | 3/4                 | .035      | 10/14 | N             | 246               | 75     | 20                       | 0.90      |
| CBLT-2709-16H     | 1                   | .035      | 2/3   | H             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-17N     | 1                   | .035      | 3/4   | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-17H     | 1                   | .035      | 3/4   | H             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-18H     | 1                   | .035      | 4/5   | H             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-19N     | 1                   | .035      | 4/6   | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-19H     | 1                   | .035      | 4/6   | H             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-20H     | 1                   | .035      | 5/6   | H             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-21N     | 1                   | .035      | 5/8   | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-22N     | 1                   | .035      | 6/10  | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-23N     | 1                   | .035      | 8/12  | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-2709-24N     | 1                   | .035      | 10/14 | N             | 246               | 75     | 27                       | 0.90      |
| CBLT-3411-16H     | 1 1/4               | .042      | 2/3   | H             | 328               | 100    | 34                       | 1.10      |



# PRODUCT LIST

MARCH 2001

## bi-alfa cobalt

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI       | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----------|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |           |               | FEET              | METERS | WIDTH                    | THICKNESS |
| CBLT-3411-17N     | 1 1/4               | .042      | 3/4       | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-17H     | 1 1/4               | .042      | 3/4       | H             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-18H     | 1 1/4               | .042      | 4/5       | H             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-19N     | 1 1/4               | .042      | 4/6       | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-19H     | 1 1/4               | .042      | 4/6       | H             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-20H     | 1 1/4               | .042      | 5/6       | H             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-21N     | 1 1/4               | .042      | 5/8       | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-22N     | 1 1/4               | .042      | 6/10      | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-3411-23N     | 1 1/4               | .042      | 8/12      | N             | 328               | 100    | 34                       | 1.10      |
| CBLT-4113-15H     | 1 1/2               | .050      | 1.5/2     | H             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-16H     | 1 1/2               | .050      | 2/3       | H             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-17N     | 1 1/2               | .050      | 3/4       | N             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-17H     | 1 1/2               | .050      | 3/4       | H             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-18H     | 1 1/2               | .050      | 4/5       | H             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-19N     | 1 1/2               | .050      | 4/6       | N             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-19H     | 1 1/2               | .050      | 4/6       | H             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-21N     | 1 1/2               | .050      | 5/8       | N             | 246               | 75     | 41                       | 1.30      |
| CBLT-4113-22N     | 1 1/2               | .050      | 6/10      | N             | 246               | 75     | 41                       | 1.30      |
| CBLT-5413-14H     | 2                   | .050      | 1.1/1.6   | H             | 180               | 55     | 54                       | 1.30      |
| CBLT-5413-15H     | 2                   | .050      | 1.5/2     | H             | 180               | 55     | 54                       | 1.30      |
| CBLT-5413-16H     | 2                   | .050      | 2/3       | H             | 180               | 55     | 54                       | 1.30      |
| CBLT-5413-17H     | 2                   | .050      | 3/4       | H             | 180               | 55     | 54                       | 1.30      |
| CBLT-5413-18H     | 2                   | .050      | 4/5       | H             | 180               | 55     | 54                       | 1.30      |
| CBLT-5413-19H     | 2                   | .050      | 4/6       | H             | 180               | 55     | 54                       | 1.30      |
| CBLT-5416-13H     | 2                   | .063      | 0.75/1.25 | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-5416-14H     | 2                   | .063      | 1.1/1.6   | H             | 180               | 55     | 54                       | 1.60      |



# PRODUCT LIST

MARCH 2001

## bi-alfa cobalt

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI       | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----------|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |           |               | FEET              | METERS | WIDTH                    | THICKNESS |
| CBLT-5416-15H     | 2                   | .063      | 1.5/2     | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-5416-16H     | 2                   | .063      | 2/3       | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-5416-17H     | 2                   | .063      | 3/4       | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-5416-18H     | 2                   | .063      | 4/5       | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-5416-19H     | 2                   | .063      | 4/6       | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-5416-20H     | 2                   | .063      | 5/6       | H             | 180               | 55     | 54                       | 1.60      |
| CBLT-6716-13H     | 2 5/8               | .063      | 0.75/1.25 | H             | 246               | 75     | 67                       | 1.60      |
| CBLT-6716-14H     | 2 5/8               | .063      | 1.1/1.6   | H             | 246               | 75     | 67                       | 1.60      |
| CBLT-6716-15H     | 2 5/8               | .063      | 1.5/2     | H             | 246               | 75     | 67                       | 1.60      |
| CBLT-6716-16H     | 2 5/8               | .063      | 2/3       | H             | 246               | 75     | 67                       | 1.60      |
| CBLT-6716-17H     | 2 5/8               | .063      | 3/4       | H             | 246               | 75     | 67                       | 1.60      |
| CBLT-8016-13H     | 3                   | .063      | 0.75/1.25 | H             | 246               | 75     | 80                       | 1.60      |
| CBLT-8016-14H     | 3                   | .063      | 1.1/1.6   | H             | 246               | 75     | 80                       | 1.60      |
| CBLT-8016-15H     | 3                   | .063      | 1.5/2     | H             | 246               | 75     | 80                       | 1.60      |
| CBLT-8016-16H     | 3                   | .063      | 2/3       | H             | 246               | 75     | 80                       | 1.60      |

(119 items)



**PRODUCT LIST**

MARCH 2001

**bi-alfa Matrix2**

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI   | TOOTH TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-------|------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |       |            | FEET              | METERS | WIDTH                    | THICKNESS |
| MTRX-1306-06H     | 1/2                 | .025      | 6     | H          | 98                | 30     | 13                       | 0.65      |
| MTRX-1306-08N     | 1/2                 | .025      | 10    | N          | 98                | 30     | 13                       | 0.65      |
| MTRX-1306-09N     | 1/2                 | .025      | 14    | N          | 98                | 30     | 13                       | 0.65      |
| MTRX-1306-22N     | 1/2                 | .025      | 6/10  | N          | 98                | 30     | 13                       | 0.65      |
| MTRX-1306-23N     | 1/2                 | .025      | 8/12  | N          | 98                | 30     | 13                       | 0.65      |
| MTRX-1306-24N     | 1/2                 | .025      | 10/14 | N          | 98                | 30     | 13                       | 0.65      |
| MTRX-2009-09N     | 3/4                 | .035      | 14    | N          | 246               | 75     | 20                       | 0.90      |
| MTRX-2009-19N     | 3/4                 | .035      | 4/6   | N          | 246               | 75     | 20                       | 0.90      |
| MTRX-2009-21N     | 3/4                 | .035      | 5/8   | N          | 246               | 75     | 20                       | 0.90      |
| MTRX-2009-22N     | 3/4                 | .035      | 6/10  | N          | 246               | 75     | 20                       | 0.90      |
| MTRX-2009-23N     | 3/4                 | .035      | 8/12  | N          | 246               | 75     | 20                       | 0.90      |
| MTRX-2009-24N     | 3/4                 | .035      | 10/14 | N          | 246               | 75     | 20                       | 0.90      |
| MTRX-2709-07N     | 1                   | .035      | 8     | N          | 246               | 75     | 27                       | 0.90      |
| MTRX-2709-08N     | 1                   | .035      | 10    | N          | 246               | 75     | 27                       | 0.90      |
| MTRX-2709-09N     | 1                   | .035      | 14    | N          | 246               | 75     | 27                       | 0.90      |
| MTRX-2709-19N     | 1                   | .035      | 4/6   | N          | 246               | 75     | 27                       | 0.90      |
| MTRX-2709-21N     | 1                   | .035      | 5/8   | N          | 246               | 75     | 27                       | 0.90      |
| MTRX-2709-22N     | 1                   | .035      | 6/10  | N          | 246               | 75     | 27                       | 0.90      |
| MTRX-2709-23N     | 1                   | .035      | 8/12  | N          | 246               | 75     | 27                       | 0.90      |
| MTRX-2709-24N     | 1                   | .035      | 10/14 | N          | 246               | 75     | 27                       | 0.90      |

**(20 items)**



# PRODUCT LIST

MARCH 2001

## bi-alfa Master

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI       | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----------|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |           |               | FEET              | METERS | WIDTH                    | THICKNESS |
| MSTR-2709-04X     | 1                   | .035      | 3         | X             | 246               | 75     | 27                       | 0.90      |
| MSTR-2709-05X     | 1                   | .035      | 4         | X             | 246               | 75     | 27                       | 0.90      |
| MSTR-2709-17X     | 1                   | .035      | 3/4       | X             | 246               | 75     | 27                       | 0.90      |
| MSTR-3411-03X     | 1 1/4               | .042      | 2         | X             | 328               | 100    | 34                       | 1.10      |
| MSTR-3411-04X     | 1 1/4               | .042      | 3         | X             | 328               | 100    | 34                       | 1.10      |
| MSTR-3411-16X     | 1 1/4               | .042      | 2/3       | X             | 328               | 100    | 34                       | 1.10      |
| MSTR-3411-17X     | 1 1/4               | .042      | 3/4       | X             | 328               | 100    | 34                       | 1.10      |
| MSTR-3411-18X     | 1 1/4               | .042      | 4/5       | X             | 328               | 100    | 34                       | 1.10      |
| MSTR-4113-02X     | 1 1/2               | .050      | 1.25      | X             | 246               | 75     | 41                       | 1.30      |
| MSTR-4113-04X     | 1 1/2               | .050      | 3         | X             | 246               | 75     | 41                       | 1.30      |
| MSTR-4113-15X     | 1 1/2               | .050      | 1.5/2     | X             | 246               | 75     | 41                       | 1.30      |
| MSTR-4113-16X     | 1 1/2               | .050      | 2/3       | X             | 246               | 75     | 41                       | 1.30      |
| MSTR-4113-17X     | 1 1/2               | .050      | 3/4       | X             | 246               | 75     | 41                       | 1.30      |
| MSTR-4113-18X     | 1 1/2               | .050      | 4/5       | X             | 246               | 75     | 41                       | 1.30      |
| MSTR-5413-15X     | 2                   | .050      | 1.5/2     | X             | 180               | 55     | 54                       | 1.30      |
| MSTR-5416-02X     | 2                   | .063      | 1.25      | X             | 180               | 55     | 54                       | 1.60      |
| MSTR-5416-14X     | 2                   | .063      | 1.1/1.6   | X             | 180               | 55     | 54                       | 1.60      |
| MSTR-5416-15X     | 2                   | .063      | 1.5/2     | X             | 180               | 55     | 54                       | 1.60      |
| MSTR-5416-16X     | 2                   | .063      | 2/3       | X             | 180               | 55     | 54                       | 1.60      |
| MSTR-5416-17X     | 2                   | .063      | 3/4       | X             | 180               | 55     | 54                       | 1.60      |
| MSTR-6716-02X     | 2 5/8               | .063      | 1.25      | X             | 246               | 75     | 67                       | 1.60      |
| MSTR-6716-13X     | 2 5/8               | .063      | 0.75/1.25 | X             | 246               | 75     | 67                       | 1.60      |
| MSTR-6716-14X     | 2 5/8               | .063      | 1.1/1.6   | X             | 246               | 75     | 67                       | 1.60      |
| MSTR-6716-15X     | 2 5/8               | .063      | 1.5/2     | X             | 246               | 75     | 67                       | 1.60      |
| MSTR-8016-13X     | 3                   | .063      | 0.75/1.25 | X             | 246               | 75     | 80                       | 1.60      |

(25 items)



# PRODUCT LIST

MARCH 2001

## bi-alfa cobalt RP

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI       | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----------|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |           |               | FEET              | METERS | WIDTH                    | THICKNESS |
| CBRP-2709-17P     | 1                   | .035      | 3/4       | P             | 246               | 75     | 27                       | 0.90      |
| CBRP-3411-16P     | 1 1/4               | .042      | 2/3       | P             | 328               | 100    | 34                       | 1.10      |
| CBRP-3411-17P     | 1 1/4               | .042      | 3/4       | P             | 328               | 100    | 34                       | 1.10      |
| CBRP-4113-15P     | 1 1/2               | .050      | 1.5/2     | P             | 246               | 75     | 41                       | 1.30      |
| CBRP-4113-16P     | 1 1/2               | .050      | 2/3       | P             | 246               | 75     | 41                       | 1.30      |
| CBRP-4113-17P     | 1 1/2               | .050      | 3/4       | P             | 246               | 75     | 41                       | 1.30      |
| CBRP-5413-16P     | 2                   | .063      | 2/3       | P             | 180               | 55     | 54                       | 1.60      |
| CBRP-5413-17P     | 2                   | .063      | 3/4       | P             | 180               | 55     | 54                       | 1.60      |
| CBRP-5416-14P     | 2                   | .063      | 1.1/1.6   | P             | 180               | 55     | 54                       | 1.60      |
| CBRP-5416-15P     | 2                   | .063      | 1.5/2     | P             | 180               | 55     | 54                       | 1.60      |
| CBRP-5416-16P     | 2                   | .063      | 2/3       | P             | 180               | 55     | 54                       | 1.60      |
| CBRP-5416-17P     | 2                   | .063      | 3/4       | P             | 180               | 55     | 54                       | 1.60      |
| CBRP-6716-13P     | 2 5/8               | .063      | 0.75/1.25 | P             | 246               | 75     | 67                       | 1.60      |
| CBRP-6716-14P     | 2 5/8               | .063      | 1.1/1.6   | P             | 246               | 75     | 67                       | 1.60      |
| CBRP-6716-15P     | 2 5/8               | .063      | 1.5/2     | P             | 246               | 75     | 67                       | 1.60      |
| CBRP-6716-16P     | 2 5/8               | .063      | 2/3       | P             | 246               | 75     | 67                       | 1.60      |
| CBRP-8016-13P     | 3                   | .063      | 0.75/1.25 | P             | 246               | 75     | 80                       | 1.60      |
| CBRP-8016-14P     | 3                   | .063      | 1.1/1.6   | P             | 246               | 75     | 80                       | 1.60      |

(18 items)



# PRODUCT LIST

MARCH 2001

## bi-alfa RP Master

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI       | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----------|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |           |               | FEET              | METERS | WIDTH                    | THICKNESS |
| RPMT-3411-16X     | 1 1/4               | .042      | 2/3       | X             | 328               | 100    | 34                       | 1.10      |
| RPMT-3411-17X     | 1 1/4               | .042      | 3/4       | X             | 328               | 100    | 34                       | 1.10      |
| RPMT-4113-15X     | 1 1/2               | .050      | 1.5/2     | X             | 246               | 75     | 41                       | 1.30      |
| RPMT-4113-16X     | 1 1/2               | .050      | 2/3       | X             | 246               | 75     | 41                       | 1.30      |
| RPMT-4113-17X     | 1 1/2               | .050      | 3/4       | X             | 246               | 75     | 41                       | 1.30      |
| RPMT-5416-14X     | 2                   | .063      | 1.1/1.6   | X             | 180               | 55     | 54                       | 1.60      |
| RPMT-5416-15X     | 2                   | .063      | 1.5/2     | X             | 180               | 55     | 54                       | 1.60      |
| RPMT-5416-16X     | 2                   | .063      | 2/3       | X             | 180               | 55     | 54                       | 1.60      |
| RPMT-5416-17X     | 2                   | .063      | 3/4       | X             | 180               | 55     | 54                       | 1.60      |
| RPMT-6716-13X     | 2 5/8               | .063      | 0.75/1.25 | X             | 246               | 75     | 67                       | 1.60      |
| RPMT-6716-14X     | 2 5/8               | .063      | 1.1/1.6   | X             | 246               | 75     | 67                       | 1.60      |
| RPMT-6716-15X     | 2 5/8               | .063      | 1.5/2     | X             | 246               | 75     | 67                       | 1.60      |
| RPMT-8016-13X     | 3                   | .063      | 0.75/1.25 | X             | 246               | 75     | 80                       | 1.60      |
| RPMT-8016-14X     | 3                   | .063      | 1.1/1.6   | X             | 246               | 75     | 80                       | 1.60      |

(14 items)



# PRODUCT LIST

MARCH 2001

## HM-Titan

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI       | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----------|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |           |               | FEET              | METERS | WIDTH                    | THICKNESS |
| HMTT-3411-03X     | 1 1/4               | 0.042     | 2         | X             | 328               | 100    | 34                       | 1.10      |
| HMTT-3411-16X     | 1 1/4               | 0.042     | 2/3       | X             | 328               | 100    | 34                       | 1.10      |
| HMTT-3411-17X     | 1 1/4               | 0.042     | 3/4       | X             | 328               | 100    | 34                       | 1.10      |
| HMTT-4113-15X     | 1 1/2               | 0.050     | 1.5/2     | X             | 246               | 75     | 41                       | 1.30      |
| HMTT-4113-16X     | 1 1/2               | 0.050     | 2/3       | X             | 246               | 75     | 41                       | 1.30      |
| HMTT-5416-13X     | 2                   | 0.063     | 0.75/1.25 | X             | 180               | 55     | 54                       | 1.60      |
| HMTT-5416-15X     | 2                   | 0.063     | 1.5/2     | X             | 180               | 55     | 54                       | 1.60      |
| HMTT-5416-16X     | 2                   | 0.063     | 2/3       | X             | 180               | 55     | 54                       | 1.60      |
| HMTT-6716-13X     | 2 5/8               | 0.063     | 0.75/1.25 | X             | 246               | 75     | 67                       | 1.60      |
| HMTT-6716-15X     | 2 5/8               | 0.063     | 1.5/2     | X             | 246               | 75     | 67                       | 1.60      |
| HMTT-8016-13X     | 3                   | 0.063     | 0.75/1.25 | X             | 246               | 75     | 80                       | 1.60      |
| HMTT-8016-15X     | 3                   | 0.063     | 1.5/2     | X             | 246               | 75     | 80                       | 1.60      |

(12 items)



### ROENTGEN Grit

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |      | FEET              | METERS | WIDTH                    | THICKNESS |
| GRIT-0605-C       | 1/4                 | .020      | C    | 98                | 30     | 6                        | 0.50      |
| GRIT-0605-S       | 1/4                 | .020      | S    | 98                | 30     | 6                        | 0.50      |
| GRIT-1006-C       | 3/8                 | .025      | C    | 98                | 30     | 10                       | 0.65      |
| GRIT-1006-S       | 3/8                 | .025      | S    | 98                | 30     | 10                       | 0.65      |
| GRIT-1305-C       | 1/2                 | .020      | C    | 98                | 30     | 13                       | 0.50      |
| GRIT-1305-S       | 1/2                 | .020      | S    | 98                | 30     | 13                       | 0.50      |
| GRIT-1306-C       | 1/2                 | .025      | C    | 98                | 30     | 13                       | 0.65      |
| GRIT-1306-S       | 1/2                 | .025      | S    | 98                | 30     | 13                       | 0.65      |
| GRIT-2008-C       | 3/4                 | .032      | C    | 98                | 30     | 20                       | 0.80      |
| GRIT-2008-S       | 3/4                 | .032      | S    | 98                | 30     | 20                       | 0.80      |
| GRIT-2509-C       | 1                   | .035      | C    | 98                | 30     | 25                       | 0.90      |
| GRIT-2509-S       | 1                   | .035      | S    | 98                | 30     | 25                       | 0.90      |
| GRIT-2511-C       | 1                   | .042      | C    | 98                | 30     | 25                       | 1.10      |
| GRIT-2511-S       | 1                   | .042      | S    | 98                | 30     | 25                       | 1.10      |
| GRIT-3209-C       | 1 1/4               | .035      | C    | 246               | 75     | 32                       | 0.90      |
| GRIT-3209-S       | 1 1/4               | .035      | S    | 246               | 75     | 32                       | 0.90      |
| GRIT-3211-C       | 1 1/4               | .042      | C    | 246               | 75     | 32                       | 1.10      |
| GRIT-3211-S       | 1 1/4               | .042      | S    | 246               | 75     | 32                       | 1.10      |
| GRIT-3811-C       | 1 1/2               | .042      | C    | 246               | 75     | 38                       | 1.10      |
| GRIT-3811-S       | 1 1/2               | .042      | S    | 246               | 75     | 38                       | 1.10      |

(20 items)



# PRODUCT LIST

MARCH 2001

## RRR (flexback)

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |     |               | FEET              | METERS | WIDTH                    | THICKNESS |
| FLEX-0606-05H     | 1/4                 | .025      | 4   | H             | 98                | 30     | 6                        | 0.65      |
| FLEX-0606-06N     | 1/4                 | .025      | 6   | N             | 98                | 30     | 6                        | 0.65      |
| FLEX-0606-06H     | 1/4                 | .025      | 6   | H             | 98                | 30     | 6                        | 0.65      |
| FLEX-0606-07N     | 1/4                 | .025      | 8   | N             | 98                | 30     | 6                        | 0.65      |
| FLEX-0606-08N     | 1/4                 | .025      | 10  | N             | 98                | 30     | 6                        | 0.65      |
| FLEX-0606-09N     | 1/4                 | .025      | 14  | N             | 98                | 30     | 6                        | 0.65      |
| FLEX-0606-10N     | 1/4                 | .025      | 18  | N             | 98                | 30     | 6                        | 0.65      |
| FLEX-0606-11N     | 1/4                 | .025      | 24  | N             | 98                | 30     | 6                        | 0.65      |
| FLEX-0806-05H     | 5/16                | .025      | 4   | H             | 98                | 30     | 8                        | 0.65      |
| FLEX-0806-06N     | 5/16                | .025      | 6   | N             | 98                | 30     | 8                        | 0.65      |
| FLEX-0806-06H     | 5/16                | .025      | 6   | H             | 98                | 30     | 8                        | 0.65      |
| FLEX-0806-07N     | 5/16                | .025      | 8   | N             | 98                | 30     | 8                        | 0.65      |
| FLEX-0806-08N     | 5/16                | .025      | 10  | N             | 98                | 30     | 8                        | 0.65      |
| FLEX-0806-09N     | 5/16                | .025      | 14  | N             | 98                | 30     | 8                        | 0.65      |
| FLEX-0806-10N     | 5/16                | .025      | 18  | N             | 98                | 30     | 8                        | 0.65      |
| FLEX-0806-11N     | 5/16                | .025      | 24  | N             | 98                | 30     | 8                        | 0.65      |
| FLEX-1006-04H     | 3/8                 | .025      | 3   | H             | 98                | 30     | 10                       | 0.65      |
| FLEX-1006-05H     | 3/8                 | .025      | 4   | H             | 98                | 30     | 10                       | 0.65      |
| FLEX-1006-06N     | 3/8                 | .025      | 6   | N             | 98                | 30     | 10                       | 0.65      |
| FLEX-1006-06H     | 3/8                 | .025      | 6   | H             | 98                | 30     | 10                       | 0.65      |
| FLEX-1006-07N     | 3/8                 | .025      | 8   | N             | 98                | 30     | 10                       | 0.65      |
| FLEX-1006-08N     | 3/8                 | .025      | 10  | N             | 98                | 30     | 10                       | 0.65      |
| FLEX-1006-09N     | 3/8                 | .025      | 14  | N             | 98                | 30     | 10                       | 0.65      |
| FLEX-1006-10N     | 3/8                 | .025      | 18  | N             | 98                | 30     | 10                       | 0.65      |
| FLEX-1006-11N     | 3/8                 | .025      | 24  | N             | 98                | 30     | 10                       | 0.65      |
| FLEX-1306-04H     | 1/2                 | .025      | 3   | H             | 98                | 30     | 13                       | 0.65      |



# PRODUCT LIST

MARCH 2001

## RRR (flexback)

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |     |               | FEET              | METERS | WIDTH                    | THICKNESS |
| FLEX-1306-05H     | 1/2                 | .025      | 4   | H             | 98                | 30     | 13                       | 0.65      |
| FLEX-1306-06N     | 1/2                 | .025      | 6   | N             | 98                | 30     | 13                       | 0.65      |
| FLEX-1306-06H     | 1/2                 | .025      | 6   | H             | 98                | 30     | 13                       | 0.65      |
| FLEX-1306-07N     | 1/2                 | .025      | 8   | N             | 98                | 30     | 13                       | 0.65      |
| FLEX-1306-08N     | 1/2                 | .025      | 10  | N             | 98                | 30     | 13                       | 0.65      |
| FLEX-1306-09N     | 1/2                 | .025      | 14  | N             | 98                | 30     | 13                       | 0.65      |
| FLEX-1306-10N     | 1/2                 | .025      | 18  | N             | 98                | 30     | 13                       | 0.65      |
| FLEX-1306-11N     | 1/2                 | .025      | 24  | N             | 98                | 30     | 13                       | 0.65      |
| FLEX-1608-04H     | 5/8                 | .032      | 3   | H             | 246               | 75     | 16                       | 0.80      |
| FLEX-1608-05N     | 5/8                 | .032      | 4   | N             | 246               | 75     | 16                       | 0.80      |
| FLEX-1608-05H     | 5/8                 | .032      | 4   | H             | 246               | 75     | 16                       | 0.80      |
| FLEX-1608-06N     | 5/8                 | .032      | 6   | N             | 246               | 75     | 16                       | 0.80      |
| FLEX-1608-07N     | 5/8                 | .032      | 8   | N             | 246               | 75     | 16                       | 0.80      |
| FLEX-1608-08N     | 5/8                 | .032      | 10  | N             | 246               | 75     | 16                       | 0.80      |
| FLEX-1608-09N     | 5/8                 | .032      | 14  | N             | 246               | 75     | 16                       | 0.80      |
| FLEX-1608-10N     | 5/8                 | .032      | 18  | N             | 246               | 75     | 16                       | 0.80      |
| FLEX-1608-11N     | 5/8                 | .032      | 24  | N             | 246               | 75     | 16                       | 0.80      |
| FLEX-2008-04H     | 3/4                 | .032      | 3   | H             | 246               | 75     | 20                       | 0.80      |
| FLEX-2008-05H     | 3/4                 | .032      | 4   | H             | 246               | 75     | 20                       | 0.80      |
| FLEX-2008-06N     | 3/4                 | .032      | 6   | N             | 246               | 75     | 20                       | 0.80      |
| FLEX-2008-07N     | 3/4                 | .032      | 8   | N             | 246               | 75     | 20                       | 0.80      |
| FLEX-2008-08N     | 3/4                 | .032      | 10  | N             | 246               | 75     | 20                       | 0.80      |
| FLEX-2008-09N     | 3/4                 | .032      | 14  | N             | 246               | 75     | 20                       | 0.80      |
| FLEX-2008-10N     | 3/4                 | .032      | 18  | N             | 246               | 75     | 20                       | 0.80      |
| FLEX-2008-11N     | 3/4                 | .032      | 24  | N             | 246               | 75     | 20                       | 0.80      |
| FLEX-2509-03H     | 1                   | .035      | 2   | H             | 246               | 75     | 25                       | 0.90      |



# PRODUCT LIST

MARCH 2001

## RRR (flexback)

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |     |               | FEET              | METERS | WIDTH                    | THICKNESS |
| FLEX-2509-04H     | 1                   | .035      | 3   | H             | 246               | 75     | 25                       | 0.90      |
| FLEX-2509-05N     | 1                   | .035      | 4   | N             | 246               | 75     | 25                       | 0.90      |
| FLEX-2509-05H     | 1                   | .035      | 4   | H             | 246               | 75     | 25                       | 0.90      |
| FLEX-2509-06N     | 1                   | .035      | 6   | N             | 246               | 75     | 25                       | 0.90      |
| FLEX-2509-07N     | 1                   | .035      | 8   | N             | 246               | 75     | 25                       | 0.90      |
| FLEX-2509-08N     | 1                   | .035      | 10  | N             | 246               | 75     | 25                       | 0.90      |
| FLEX-2509-09N     | 1                   | .035      | 14  | N             | 246               | 75     | 25                       | 0.90      |
| FLEX-2509-10N     | 1                   | .035      | 24  | N             | 246               | 75     | 25                       | 0.90      |

(60 items)



# PRODUCT LIST

MARCH 2001

## RRR-Plus (hardback)

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |     |               | FEET              | METERS | WIDTH                    | THICKNESS |
| HARD-0306-09N     | 1/8                 | .025      | 14  | N             | 98                | 30     | 3                        | 0.65      |
| HARD-0306-10N     | 1/8                 | .025      | 18  | N             | 98                | 30     | 3                        | 0.65      |
| HARD-0306-11N     | 1/8                 | .025      | 24  | N             | 98                | 30     | 3                        | 0.65      |
| HARD-0406-08N     | 5/32                | .025      | 10  | N             | 98                | 30     | 4                        | 0.65      |
| HARD-0406-09N     | 5/32                | .025      | 14  | N             | 98                | 30     | 4                        | 0.65      |
| HARD-0406-10N     | 5/32                | .025      | 18  | N             | 98                | 30     | 4                        | 0.65      |
| HARD-0406-11N     | 5/32                | .025      | 24  | N             | 98                | 30     | 4                        | 0.65      |
| HARD-0406-12N     | 5/32                | .025      | 32  | N             | 98                | 30     | 4                        | 0.65      |
| HARD-0606-05H     | 1/4                 | .025      | 4   | H             | 98                | 30     | 6                        | 0.65      |
| HARD-0606-06N     | 1/4                 | .025      | 6   | N             | 98                | 30     | 6                        | 0.65      |
| HARD-0606-06H     | 1/4                 | .025      | 6   | H             | 98                | 30     | 6                        | 0.65      |
| HARD-0606-07N     | 1/4                 | .025      | 8   | N             | 98                | 30     | 6                        | 0.65      |
| HARD-0606-08N     | 1/4                 | .025      | 10  | N             | 98                | 30     | 6                        | 0.65      |
| HARD-0606-09N     | 1/4                 | .025      | 14  | N             | 98                | 30     | 6                        | 0.65      |
| HARD-0606-10N     | 1/4                 | .025      | 18  | N             | 98                | 30     | 6                        | 0.65      |
| HARD-0606-11N     | 1/4                 | .025      | 24  | N             | 98                | 30     | 6                        | 0.65      |
| HARD-0806-06N     | 5/16                | .025      | 6   | N             | 98                | 30     | 8                        | 0.65      |
| HARD-0806-06H     | 5/16                | .025      | 6   | H             | 98                | 30     | 8                        | 0.65      |
| HARD-0806-07N     | 5/16                | .025      | 8   | N             | 98                | 30     | 8                        | 0.65      |
| HARD-0806-08N     | 5/16                | .025      | 10  | N             | 98                | 30     | 8                        | 0.65      |
| HARD-0806-09N     | 5/16                | .025      | 14  | N             | 98                | 30     | 8                        | 0.65      |
| HARD-0806-10N     | 5/16                | .025      | 18  | N             | 98                | 30     | 8                        | 0.65      |
| HARD-0806-11N     | 5/16                | .025      | 24  | N             | 98                | 30     | 8                        | 0.65      |
| HARD-1006-04H     | 3/8                 | .025      | 3   | H             | 98                | 30     | 10                       | 0.65      |
| HARD-1006-05N     | 3/8                 | .025      | 4   | N             | 98                | 30     | 10                       | 0.65      |
| HARD-1006-05H     | 3/8                 | .025      | 4   | H             | 98                | 30     | 10                       | 0.65      |



# PRODUCT LIST

MARCH 2001

## RRR-Plus (hardback)

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |     |               | FEET              | METERS | WIDTH                    | THICKNESS |
| HARD-1006-06N     | 3/8                 | .025      | 6   | N             | 98                | 30     | 10                       | 0.65      |
| HARD-1006-06H     | 3/8                 | .025      | 6   | H             | 98                | 30     | 10                       | 0.65      |
| HARD-1006-07N     | 3/8                 | .025      | 8   | N             | 98                | 30     | 10                       | 0.65      |
| HARD-1006-08N     | 3/8                 | .025      | 10  | N             | 98                | 30     | 10                       | 0.65      |
| HARD-1006-09N     | 3/8                 | .025      | 14  | N             | 98                | 30     | 10                       | 0.65      |
| HARD-1006-10N     | 3/8                 | .025      | 18  | N             | 98                | 30     | 10                       | 0.65      |
| HARD-1006-11N     | 3/8                 | .025      | 24  | N             | 98                | 30     | 10                       | 0.65      |
| HARD-1306-04H     | 1/2                 | .025      | 3   | H             | 98                | 30     | 13                       | 0.65      |
| HARD-1306-05H     | 1/2                 | .025      | 4   | H             | 98                | 30     | 13                       | 0.65      |
| HARD-1306-06N     | 1/2                 | .025      | 6   | N             | 98                | 30     | 13                       | 0.65      |
| HARD-1306-06H     | 1/2                 | .025      | 6   | H             | 98                | 30     | 13                       | 0.65      |
| HARD-1306-07N     | 1/2                 | .025      | 8   | N             | 98                | 30     | 13                       | 0.65      |
| HARD-1306-08N     | 1/2                 | .025      | 10  | N             | 98                | 30     | 13                       | 0.65      |
| HARD-1306-09N     | 1/2                 | .025      | 14  | N             | 98                | 30     | 13                       | 0.65      |
| HARD-1306-10N     | 1/2                 | .025      | 18  | N             | 98                | 30     | 13                       | 0.65      |
| HARD-1306-11N     | 1/2                 | .025      | 24  | N             | 98                | 30     | 13                       | 0.65      |
| HARD-1608-04H     | 5/8                 | .032      | 3   | H             | 246               | 75     | 16                       | 0.80      |
| HARD-1608-05N     | 5/8                 | .032      | 4   | N             | 246               | 75     | 16                       | 0.80      |
| HARD-1608-05H     | 5/8                 | .032      | 4   | H             | 246               | 75     | 16                       | 0.80      |
| HARD-1608-06N     | 5/8                 | .032      | 6   | N             | 246               | 75     | 16                       | 0.80      |
| HARD-1608-07N     | 5/8                 | .032      | 8   | N             | 246               | 75     | 16                       | 0.80      |
| HARD-1608-08N     | 5/8                 | .032      | 10  | N             | 246               | 75     | 16                       | 0.80      |
| HARD-1608-09N     | 5/8                 | .032      | 14  | N             | 246               | 75     | 16                       | 0.80      |
| HARD-1608-11N     | 5/8                 | .032      | 24  | N             | 246               | 75     | 16                       | 0.80      |
| HARD-2008-05H     | 3/4                 | .032      | 4   | H             | 246               | 75     | 20                       | 0.80      |
| HARD-2008-06N     | 3/4                 | .032      | 6   | N             | 246               | 75     | 20                       | 0.80      |



**PRODUCT LIST**

MARCH 2001

**RRR-Plus (hardback)**

| PART #<br>( USA ) | DIMENSIONS (INCHES) |           | TPI | TOOTH<br>TYPE | REGULAR COIL SIZE |        | DIMENSIONS (MILLIMETERS) |           |
|-------------------|---------------------|-----------|-----|---------------|-------------------|--------|--------------------------|-----------|
|                   | WIDTH               | THICKNESS |     |               | FEET              | METERS | WIDTH                    | THICKNESS |
| HARD-2008-07N     | 3/4                 | .032      | 8   | N             | 246               | 75     | 20                       | 0.80      |
| HARD-2008-08N     | 3/4                 | .032      | 10  | N             | 246               | 75     | 20                       | 0.80      |
| HARD-2008-09N     | 3/4                 | .032      | 14  | N             | 246               | 75     | 20                       | 0.80      |
| HARD-2008-10N     | 3/4                 | .032      | 18  | N             | 246               | 75     | 20                       | 0.80      |
| HARD-2008-11N     | 3/4                 | .032      | 24  | N             | 246               | 75     | 20                       | 0.80      |
| HARD-2509-04H     | 1                   | .035      | 3   | H             | 246               | 75     | 25                       | 0.90      |
| HARD-2509-05N     | 1                   | .035      | 4   | N             | 246               | 75     | 25                       | 0.90      |
| HARD-2509-05H     | 1                   | .035      | 4   | H             | 246               | 75     | 25                       | 0.90      |
| HARD-2509-06N     | 1                   | .035      | 6   | N             | 246               | 75     | 25                       | 0.90      |
| HARD-2509-06H     | 1                   | .035      | 6   | H             | 246               | 75     | 25                       | 0.90      |
| HARD-2509-07N     | 1                   | .035      | 8   | N             | 246               | 75     | 25                       | 0.90      |
| HARD-2509-08N     | 1                   | .035      | 10  | N             | 246               | 75     | 25                       | 0.90      |
| HARD-2509-09N     | 1                   | .035      | 14  | N             | 246               | 75     | 25                       | 0.90      |

**(65 items)**